

# hp brio ba410

## models and accessories

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>
<b>Models with Intel Celeron processor and 66MHz System Bus</b>							
<b>Celeron 566MHz / 128K Level 2 (CPL-OFF: 11/01)</b>							
<b>P1682A</b>	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	no	no	W98	no
<b>P1682T</b>				48X Max CD-ROM			
<b>P1683A</b>					10/100 Base-T LAN		
<b>P1683T</b>							
<b>P1684A</b>				8.4 GB IDE	no		
<b>P1703A</b>							
<b>P1703B</b>							

# hp brio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>
<b>Celeron 600MHz / 128K Level 2 (CPL-OFF: 11/01)</b>							
P1685A	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	no	no	W98	no
P1686A							
P1686B							
P1686T							
P1687A							
P1687B							
P1687T							
P1688A							
P1689A							
P1689T							
P1690B	20 GB IDE	Nvidia GeForce2 Video Card	128 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K USB Modem	W98	MS Office 2000
P1691A							
P1692A							
P1692T							
P1693T							
P1694A							
P1694T							
P2235T							
P2720T							
P2721T							
P2736B	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K PCI Modem	W98	MS Word 2000
P1693T							
P1694A							
P1694T							
P2235T							
P2720T							
P2721T							
P2736B							
P2736B							
P2736B							
P2736B							
P2736B							



## hp brio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>	
<b>Celeron 633MHz / 128K Level 2 (CPL-OFF: 11/01)</b>								
<b>P1695C</b>	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no	W98	MS Word 2000	
<b>P1696A</b>					56K USB Modem		no	
<b>P1697A</b>					10/100 Base-T LAN & 3com			
<b>P1698A</b>	56K USB Modem				MS Word 2000			
<b>P1699T</b>	20 GB IDE		128 MB SDRAM 133 MHz	4X/4X/24X IDE CD-RW	10/100 Base-T LAN	W2K	no	
<b>P1700A</b>					56K USB Modem			
<b>P2232B</b>	10 GB IDE		64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no	W98		MS Word 2000
<b>P2236T</b>					128 MB SDRAM 133 MHz			
<b>P2738A</b>			64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no		56K PCI Modem	MS Works Suite
<b>P2738T</b>					no			
<b>P2739A</b>		64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no	56K PCI Modem		MS Word 2000	
<b>P2739T</b>				no				
<b>P2740T</b>		64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no	10/100 Base-T LAN		no	
<b>P2741A</b>				56K PCI Modem				
<b>P2741T</b>		64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no	10/100 Base-T LAN		no	
<b>P2743A</b>				56K PCI Modem				
<b>P2743T</b>	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no	10/100 Base-T LAN	no			
<b>P2759B</b>			56K PCI Modem					



**hp brio ba410**

<b>Product Number</b>	<b>Hard Drive</b>	<b>Video Controller</b>	<b>Std. RAM</b>	<b>Multi-media</b>	<b>Modem/LAN</b>	<b>OS<sup>1</sup></b>	<b>Software<sup>2</sup></b>
<b>Celeron 633MHz / 128K Level 2 (CPL-OFF: 11/01)</b>							
<b>P3232T</b>	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	no	56K PCI Modem	W98	MS Works Suite
<b>P3235A</b>				48X Max IDE CD-ROM			
<b>P3668A</b>							



hp brio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>
<b>Celeron 667MHz / 128K Level 2 (CPL-OFF: 11/01)</b>							
<b>P1701A</b>	20 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	128 MB SDRAM 133 MHz	4X/4X/24X IDE CD-RW	56K USB Modem	W98	no
<b>P2722T</b>	10 GB IDE		64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K PCI Modem		MS Works Suite
<b>P2742T</b>			128 MB SDRAM 133 MHz				
<b>P2744A</b>				64 MB SDRAM 133 MHz	no		no
<b>P3251A</b>			48X Max IDE CD-ROM				
<b>P3252A</b>				no	no		no
<b>P3254B</b>			48X Max IDE CD-ROM				
<b>P3261A</b>				no	56K PCI Modem		MS Word 2000
<b>P3262A</b>			64 MB SDRAM 133 MHz				
<b>P3263A</b>				no	no		no
<b>P3264A</b>			48X Max IDE CD-ROM				
<b>P3265A</b>				no	no		MS Works Suite
<b>P3266A</b>			48X Max IDE CD-ROM				
<b>P3267A</b>				no	no		MS Works Suite
<b>P4184T</b>			48X Max IDE CD-ROM				
<b>P4185T</b>	no	no		MS Works Suite			



**hp brio ba410**

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Soft-ware <sup>2</sup>
<b>Celeron 667MHz / 128K Level 2 (CPL-OFF: 11/01)</b>							
<b>P4186T</b>	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K PCI Modem	W98	MS Works Suite
<b>P4187T</b>					no		MS Word 2000
<b>P4188T</b>							MS Works Suite
<b>P4192T</b>	20 GB IDE				10/100 Base-T LAN	MS Works Suite	
<b>P4196B</b>	10 GB IDE				56K PCI Modem	Win ME	no



Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>		
<b>Celeron 700MHz / 128K Level 2 (CPL-OFF: 11/01)</b>									
<b>P1702C</b>	20 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K USB Modem	W98	MS Word 2000		
<b>P3245B</b>	10 GB IDE				56K PCI Modem				
<b>P3246T</b>	20 GB IDE				128 MB SDRAM 133 MHz			no	W2K
<b>P3247T</b>									
<b>P3275A</b>	10 GB IDE		64 MB SDRAM 133 MHz		48X Max IDE CD-ROM	10/100 Base-T LAN		W98	no
<b>P3275B</b>									
<b>P3276A</b>	20 GB IDE			56K USB Modem	no	MS Word 2000			
<b>P3276C</b>									
<b>P3662A</b>	10 GB IDE			48X Max IDE CD-ROM	no	no	W98		MS Works suite
<b>P3663A</b>									
<b>P3664A</b>					56K USB Modem	56K PCI Modem			MS Word 2000
<b>P3665A</b>					56K PCI Modem	no			MS Office 2000
<b>P3666A</b>					no	56K PCI Modem			MS Word 2000
<b>P3667A</b>					4X/4X/ 24X IDE CD-RW	56K PCI Modem			MS Works suite
<b>P3669A</b>	20 GB IDE		128 MB SDRAM 133 MHz	CD-RW 4X/4X/ 32X	10/100 Base-T LAN	no			
<b>P3672B</b>	10 GB IDE		64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K PCI Modem & 10/100 Base-T LAN	MS Word 2000			
<b>P3673B</b>									
<b>P4189T</b>	20 GB IDE			48X Max IDE CD-ROM	56K PCI Modem & 10/100 Base-T LAN				
<b>P4197B</b>	10 GB IDE	no	10/100 Base-T LAN	no					



## hp brio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>	
<b>Celeron 700MHz / 128K Level 2 (CPL-OFF: 11/01)</b>								
<b>P4198B</b>	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K USB Modem	W98	no	
<b>P4832B</b>				no			MS Works suite	
<b>P4833B</b>				no	48X Max IDE CD-ROM	Linux	no	
<b>P4834B</b>					no		W98	MS Works suite
<b>P4835T</b>								Linux
<b>P4836B</b>					no		MS Works suite	
<b>P4836T</b>				20 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	128 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K PCI Modem
<b>P4837T</b>	no							
<b>P4838T</b>	no							
<b>P4848B</b>				no	no			



## hp brio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>								
<b>Celeron 733MHz / 128K Level 2 (CPL-OFF: 11/01)</b>															
<b>P3277A</b>	20 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	10/100 Base-T LAN	W98	no								
<b>P3674T</b>			128 MB SDRAM 133 MHz			W2K	MS Word 2000								
<b>P4174A</b>	10 GB IDE		64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no	no	W98	no							
<b>P4175A</b>	20 GB IDE														
<b>P4176A</b>									10/100 Base-T LAN						
<b>P4199C</b>									56K USB Modem	MS Word 2000					
<b>P4839T</b>									128 MB SDRAM 133 MHz	56K PCI Modem	MS Works Suite				
<b>P4847T</b>									10 GB IDE	no					
<b>P4849B</b>															
<b>P4850B</b>									20 GB IDE	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no	56K PCI Modem	W98	MS Word 2000
<b>P4851T</b>															
<b>P4852T</b>															10/100 Base-T LAN
<b>P4853T</b>			MS Word 2000												
<b>P4868T</b>	no		Linux	no											
<b>P4874B</b>	10/100 Base-T LAN		W98												



## hp brio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>
<b>Celeron 766MHz / 128K Level 2 (CPL-OFF: 11/01)</b>							
<b>P4680B</b>	20 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	10/100 Base-T LAN	W2K	no

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>			
<b>Celeron 800MHz / 128K Level 2 (CPL-OFF: 11/01)</b>										
<b>P4861T</b>	20 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	128 MB SDRAM 133 MHz	48X Max IDE CD-ROM	10/100 Base-T LAN	W2K	no			
<b>P4864B</b>			no	56K USB Modem						
<b>P4865B</b>			64 MB SDRAM 133 MHz		48X Max IDE CD-ROM			56K USB Modem & 10/100 Base-T LAN		
<b>P4866C</b>	40 GB IDE			48X Max IDE CD-ROM	56K USB Modem & 10/100 Base-T LAN	W98	MS Word 2000			
<b>P4869A</b>			no		MS Works Suite					
<b>P4870A</b>	20 GB IDE		128 MB SDRAM 133 MHz	CD-RW 4X/4X/32X	10/100 Base-T LAN	Linux	no			
<b>P4875B</b>				no	48X Max IDE CD-ROM					
<b>P5814B</b>			48X Max IDE CD-ROM							
<b>P5815B</b>			no	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM			no	W98	MS Works Suite
<b>P5816B</b>			no							
<b>P5816T</b>			48X Max IDE CD-ROM	56K PCI Modem	MS Word 2000					
<b>P5817B</b>										
<b>P5818T</b>		no	no	Linux	no					
<b>P5819T</b>										
<b>P5820T</b>		no	no	Linux	no					
<b>P5826T</b>										



**hp brio ba410**

<b>Product Number</b>	<b>Hard Drive</b>	<b>Video Controller</b>	<b>Std. RAM</b>	<b>Multi-media</b>	<b>Modem/LAN</b>	<b>OS<sup>1</sup></b>	<b>Software<sup>2</sup></b>
<b>Models with Intel Pentium III processor and 133MHz System Bus</b>							
<b>PIII 667MHz /256K Level 2 (CPL-OFF: 11/01)</b>							
<b>P3255B</b>	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no	W98	no



Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>			
<b>PIII 733MHz / 256K Level 2 (CPL-OFF: 11/01)</b>										
<b>P1710A</b>	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	no	no	W98	no			
<b>P1710T</b>										
<b>P1711A</b>										
<b>P1711T</b>										
<b>P1712A</b>										
<b>P1713A</b>										
<b>P1714A</b>	128 MB SDRAM 133 MHz		48X Max IDE CD-ROM	10/100 Base-T LAN & 3com	W2K	no				
<b>P1715A</b>	20 GB IDE						64 MB SDRAM 133 MHz	56K USB Modem	W98	MS Word 2000
<b>P1716A</b>	10 GB IDE							56K PCI Modem & 10/100 Base-T LAN		MS Office 2000
<b>P1716T</b>							20 GB IDE	10/100 Base-T LAN	W2K	no
<b>P1717T</b>	10 GB IDE							128 MB SDRAM 133 MHz		56K PCI Modem
<b>P2237T</b>							64 MB SDRAM 133 MHz	no		
<b>P2251T</b>	20 GB IDE	128 MB SDRAM 133 MHz		10/100 Base-T LAN	W98	MS Word 2000				
<b>P2719T</b>						10 GB IDE	4X/4X/24X IDE CD-RW & 8X DVD	56K PCI Modem	MS Works Suite	
<b>P2723T</b>	48X Max IDE CD-ROM	MS Word 2000								
<b>P3243T</b>				10 GB IDE						



# hp brrio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>			
<b>PIII 800MHz / 256K Level 2 (CPL-OFF: 11/01)</b>										
P1718A	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	no	no	W98	no			
P1718T										
P1719A										
P1719B				48X Max IDE CD-ROM						
P1719C										
P1719T										
P1720A	20 GB IDE		Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	128 MB SDRAM 133 MHz	4X/4X/ 24X IDE CD-RW & 8X DVD	10/100 Base-T LAN	W2K	MS Word 2000		
P1720T										
P1721A				64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K PCI Modem	56K PCI Modem & 10/100 Base-T LAN		W98	MS Office 2000
P1721T										
P1722A										
P1722T										
P1723A		128 MB SDRAM 133 MHz		4X/4X/ 24X IDE CD-RW	56K PCI Modem & 10/100 Base-T LAN	56K PCI Modem	W98	MS Office 2000		
P1723T										
P1724T										
P1725A		Nvidia GeForce2 video card		4X/4X/ 24X IDE CD-RW & 8X DVD	56K USB Modem	56K USB Modem	W98	MS Word 2000		
P1725T										
P2233A	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB		64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	10/100 Base-T LAN & 3com	W98	no		
P2234A	20 GB IDE		no			MS Word 2000				
P2238T			56K PCI Modem			W2K		MS Office 2000		



Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>
<b>PIII 800MHz / 256K Level 2 (CPL-OFF: 11/01)</b>							
<b>P2745A</b>	10 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	no	no	W98	MS Works Suite
<b>P2745T</b>				48X Max IDE CD-ROM			
<b>P2746A</b>							
<b>P2746T</b>							
<b>P2748T</b>							
<b>P2749T</b>	128 MB SDRAM 133 MHz		56K PCI Modem	W2K	MS Word 2000		
<b>P2776L</b>	30 GB IDE		64 MB SDRAM 133 MHz	8X DVD	no	W98	no
<b>P3233T</b>	10 GB IDE			48X Max IDE CD-ROM			
<b>P3234T</b>	20 GB IDE		128 MB SDRAM 133 MHz		10/100 Base-T LAN	W2K	MS Works Suite
<b>P3236T</b>							
<b>P3237A</b>	10 GB IDE		64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K PCI Modem & 10/100 Base-T LAN	W98	MS Word 2000
<b>P3239T</b>							MS Office 2000
<b>P3240T</b>	20 GB IDE		128 MB SDRAM 133 MHz	8X DVD	56K PCI Modem	W98	MS Works Suite
<b>P3244T</b>				48X Max IDE CD-ROM	56K PCI Modem & 10/100 Base-T LAN		MS Office 2000
<b>P3248T</b>	10 GB IDE	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	no	W98	MS Word 2000	
<b>P3249T</b>	20 GB IDE						128 MB SDRAM 133 MHz



## hp brrio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>
<b>PIII 800MHz / 256K Level 2 (CPL-OFF: 11/01)</b>							
<b>P3260A</b>	20 GB IDE	Integrated S3 ProSavage (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE	10/100 Base-T LAN & 3com	W98	no
<b>P3656A</b>			128 MB SDRAM 133 MHz	CD-ROM	10/100 Base-T LAN	W2K	
<b>P3670A</b>	30 GB IDE		no	48X Max IDE	56K PCI Modem & 10/100 Base-T LAN	W98	MS Works Suite
<b>P4180T</b>	10 GB IDE		128 MB SDRAM 133 MHz				CD-ROM
<b>P4840T</b>			64 MB SDRAM 133 MHz	no	MS Works Suite		



Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>		
<b>PIII 866MHz /256K Level 2 (CPL-OFF: 11/01)</b>									
<b>P1726C</b>	20 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	128 MB SDRAM 133 MHz	4X/4X/24X IDE CD-RW	56K USB Modem & 10/100 Base-T LAN & 3com	W98	MS Word 2000		
<b>P2724T</b>	30 GB IDE		256 MB SDRAM 133 MHz	4X/4X/24X IDE CD-RW & 8X DVD	56K PCI Modem		MS Works Suite		
<b>P2747T</b>	20 GB IDE		128 MB SDRAM 133 MHz	8X DVD	no		56K PCI Modem	MS Office 2000	
<b>P2757T</b>				48X Max IDE CD-ROM	no			MS Word 2000	
<b>P3250T</b>				4X/4X/24X IDE CD-RW				no	
<b>P3261B</b>				64 MB SDRAM 133 MHz				48X Max IDE CD-ROM	no
<b>P3266B</b>								no	no
<b>P3266C</b>									MS Works Suite
<b>P3268A</b>								10 GB IDE	no
<b>P3268C</b>	20 GB IDE		128 MB SDRAM 133 MHz	4X/4X/24X IDE CD-RW	56K USB Modem & 10/100 Base-T LAN & 3com		no		
<b>P3269A</b>	10 GB IDE		64 MB SDRAM 133 MHz		no		MS Works Suite		
<b>P3270A</b>	20 GB IDE		128 MB SDRAM 133 MHz	48X Max IDE CD-ROM	10/100 Base-T LAN		W2K	MS Word 2000	
<b>P3271A</b>	10 GB IDE		64 MB SDRAM 133 MHz		56K USB Modem		W98		



# hp brrio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>		
<b>PIII 866MHz /256K Level 2 (CPL-OFF: 11/01)</b>									
<b>P3272A</b>	20 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K PCI Modem	W98	MS Word 2000		
<b>P3273A</b>				4X/4X/ 24X IDE CD-RW				MS Office	
<b>P3274A</b>			128 MB SDRAM 133 MHz	4X/4X/ 24X IDE CD-RW & 8X DVD	56K PCI Modem & 10/100 Base-T LAN		MS Word 2000		
<b>P3657A</b>			64 MB SDRAM 133 MHz	10/100 Base-T LAN	no		no	no	no
<b>P3657B</b>									
<b>P3658A</b>			128 MB SDRAM 133 MHz	48X Max IDE CD-ROM	10/100 Base-T LAN		56K USB Modem	W2K	MS Word 2000
<b>P3659A</b>									
<b>P3661B</b>			64 MB SDRAM 133 MHz	no	no		no	W98	no
<b>P3675T</b>			128 MB SDRAM 133 MHz						
<b>P3676T</b>			64 MB SDRAM 133 MHz	no	no		no	W98	MS Word 2000
<b>P4177B</b>			128 MB SDRAM 133 MHz						
<b>P4177C</b>	64 MB SDRAM 133 MHz	no	no	no	no	no			



## hp brio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>
<b>PIII 866MHz /256K Level 2 (CPL-OFF: 11/01)</b>							
<b>P4179B</b>	20 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	e-modem	W98	no
<b>P4181T</b>			128 MB SDRAM 133 MHz		56K PCI Modem		MS Word 2000
<b>P4190T</b>					56K PCI Modem & 10/100 Base-T LAN	W2K	
<b>P4191A</b>					no	MS Works Suite	
<b>P4191T</b>					10/100 Base-T LAN		
<b>P4193T</b>					56K PCI Modem & 10/100 Base-T LAN	W98	MS Word 2000
<b>P4201T</b>					64 MB SDRAM 133 MHz		no
<b>P4202B</b>					Linux	no	
<b>P4203B</b>					56K PCI Modem	W98	MS Works Suite
<b>P4841T</b>					128 MB SDRAM 133 MHz		
<b>P4842T</b>			no	no			
<b>P4843A</b>			64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	56K PCI Modem	MS Word 2000	
<b>P4854T</b>				no	56K USB Modem		
<b>P4855B</b>	no	56K USB Modem		MS Works Suite			



# hp brrio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>
<b>PIII 933MHz /256K Level 2 (CPL-OFF: 11/01)</b>							
<b>P2775L</b>	30 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	128 MB SDRAM 133 MHz	4X/4X/32X IDE CD-RW	56K PCI Modem	W98	no
<b>P3671B</b>	20 GB IDE		256 MB SDRAM 133 MHz		48X Max IDE CD-ROM		
<b>P3660A</b>			128 MB SDRAM 133 MHz				
<b>P3677T</b>			256 MB SDRAM 133 MHz	4X/4X/32X IDE CD-RW	56K PCI Modem	W2K	MS Office 2000
<b>P3685A</b>			128 MB SDRAM 133 MHz	48X Max IDE CD-ROM	10/100 Base-T LAN	W98	no
<b>P4178C</b>				4X/4X/32X IDE CD-RW	56K USB Modem & 10/100 Base-T LAN		
<b>P4200B</b>			64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	10/100 Base-T LAN		
<b>P4200C</b>			128 MB SDRAM 133 MHz	8X/40X DVD	no	MS Works Suite	
<b>P4842T</b>							
<b>P4856T</b>				48X Max IDE CD-ROM	10/100 Base-T LAN		W2K
<b>P4857T</b>							
<b>P4858T</b>							
<b>P4859T</b>			64 MB SDRAM 133 MHz	48X Max IDE CD-ROM	10/100 Base-T LAN	W2K	no
<b>P4862T</b>							



## hp brio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>	
<b>PIII 1000MHz /256K Level 2 (CPL-OFF: 11/01)</b>								
<b>P4843A</b>	20 GB IDE	Integrated S3 ProSavage Shared Memory Architecture (SMA) up to 16MB	128 MB SDRAM 133 MHz	no	no	W98	MS Works Suite	
<b>P4844C</b>	40 GB IDE			8X/4X/32X IDE CD-RW	56K USB Modem & 10/100 Base-T LAN		MS Word 2000	
<b>P4867B</b>	20 GB IDE		64 MB SDRAM 133 MHz	48X Max IDE	10/100 Base-T LAN		MS Works Suite	
<b>P4867C</b>			128 MB SDRAM 133 MHz		no			56K USB Modem
<b>P4871T</b>				48X Max IDE	56K PCI Modem & 10/100 Base-T LAN			MS Office 2000
<b>P4872A</b>			128 MB SDRAM 133 MHz		no		56K PCI Modem	MS Works Suite
<b>P4873A</b>				48X Max IDE	no			
<b>P4873T</b>			20 GB IDE				128 MB SDRAM 133 MHz	48X Max IDE
<b>P5821B</b>				64 MB SDRAM 133 MHz	48X Max IDE			
<b>P5822A</b>			64 MB SDRAM 133 MHz				48X Max IDE	56K PCI Modem & 10/100 Base-T LAN
<b>P5823T</b>				64 MB SDRAM 133 MHz	48X Max IDE			
<b>P5824T</b>	64 MB SDRAM 133 MHz		48X Max IDE				no	MS Works Suite
<b>P5825T</b>				64 MB SDRAM 133 MHz	48X Max IDE			



## hp brio ba410

Product Number	Hard Drive	Video Controller	Std. RAM	Multi-media	Modem/LAN	OS <sup>1</sup>	Software <sup>2</sup>
<b>Models<sup>3</sup> with User Defined Processor, Main Memory, and Hard ProSavage: (CPL-OFF: 11/01)</b>							
<b>D9854E</b>	User defined	Integrated S3 ProSavage (SMA) up to 16MB	User defined				
<b>P1890AV</b>							

1. Operating system preloaded on these models, as indicated in the table.
2. In addition to the HP Brio pre-loaded software, either Microsoft Office 2000 Small Business Edition or Microsoft Word 2000
3. Channel Assembly Program (CAP) models

**supported accessories**

64-MB kit 32-bit SDRAM, 133 MHz non-ECC main memory module	P1536A
64-MB kit 32-bit SDRAM, 133 MHz non-ECC main memory module (pack of 20)	P1540A
128-MB, 32-bit SDRAM, 133 MHz non-ECC main memory module	P1537A
256-MB, 32-bit SDRAM, 133 MHz non-ECC main memory module	P1538A

**Input Devices**

HP Multimedia Keyboard	C4742B
HP Standard Two-Button Mouse	C3751B
HP Scrolling Mouse	C4736B
HP Cordless Scrolling Mouse	C4740B

**Monitors**

All current HP Monitors (see the *HP Monitors Service Handbook*)

**Mass Storage<sup>1</sup>**

10 GB IDE hard disk	D9623A
15 GB IDE hard disk	D7517A
30 GB IDE hard disk	D9804A

**Multimedia / Audio Accessories**

48X Max IDE CD-ROM drive	D9444A
48X Max IDE CD-ROM drive (pack of 10)	D9445A
HP 4X 4X 24 Max IDE CD-RW drive	D9524A
HP 8X DVD-ROM drive	D7521A
HP Amplified Speakers by Labtec — 9.6W <sub>RMS</sub>	P1534A
HP Amplified Speakers by Labtec — 4W <sub>RMS</sub>	D6861A
HP Amplified Speakers by Labtec — 4W <sub>RMS</sub> (pack of 4)	D6860A
HP Amplified Speakers — 10W <sub>RMS</sub>	D4545A
HP Standard headset	D8387A

**Data Communications and LAN Adapter Boards**

HP 10/100 3Com 3C905C-TX, 10/100BT Ethernet card	D7522B
HP 10/100 3Com 3C905C-TX, 10/100BT Ethernet card (pack of 10)	D7523B
HP 10/100 Base-T PCI Ethernet adapter	D7508B
HP 10/100 Base-T PCI Network Card (pack of 10)	D7509B
HP 10/100 Intel PRO/100+, 10/100BT Management adapter	D7506A
HP 10/100 Intel PRO/100+, 10/100BT Management adapter (pack of 10)	D7507A

## hp brio ba410

HP USB Hub Accessory Kit	D6804A
HP 56K V90 USB External Fax Modem	D8384B
HP 56K V90 PCI Internal Modem	D7519A
HP 56K V90 External USB e-modem	P1979A

### Security

HP ProtectTools 2000 Smart Card Kit	D8436B
-------------------------------------	--------

For manuals and documentation refer to the Brio Support web where PDF files are available for download at <http://www.hp.com/briosupport>

1. The hard disk drives may be used only as a replacement for the primary hard disk drive.




## system board, BIOS, and memory

### System Board Jumpers:


See the diagram on the next page.

### inside the ba410



# hp brio ba410

## system board jumpers



7



Switch	Switch function:	
1	CMOS	OFF = normal (default) ON = clear CMOS and reload default values in <i>Setup</i>
2	Password	OFF = enabled (default) ON = disabled/clear User and Administrator passwords
3	Reserved	OFF = default
4	Reserved	OFF = default

### BIOS History

For the latest BIOS, the flasher utility program, and the BIOS history refer to the HP World Wide Web site.

<http://www.hp.com/go/briosupport/>

part numbers



# hp brrio ba410

## parts list for hp brrio ba410 pcs

Item	Description	Repl. Part Number	Exchange Part Number
1	Chassis assembly includes Chassis frame, top cover, front bezel with ON/OFF circuitry, FDD, CPU bracket, PSU, and Cable kit.	5065-1283	—
2	Front bezel assembly includes front bezel with ON/OFF circuitry, and two 5.25 inch fillers	5065-2521	—
3	Power supply	0950-3982	---
	Power cord	See Appendix for full list	
4	Cable kit (HDD + CD-ROM + Floppy)	5065-2520	—
5	Floppy disk drive (without bezel)	D2035-60391	—
6	IDE hard disk drive <sup>1</sup>		
	8.4GB (4500 rpm or 5400 rpm)	—	D9067-69001
	10 GB (4500 rpm or 5400 rpm)	—	D9805-69001
	15 GB (7200 rpm)	—	D9812-69001
	20GB (4500 rpm or 5400 rpm)	—	P1732-69001
	30 GB (7200 rpm)	—	D9813-69001
40 GB (5400 rpm)	—	P4448-69001	
7	48X Max IDE CD-ROM drive	D4389-60091	---
	24X 4X 4X Mitsumi IDE CD-RW drive	D4398-60041	D4398-69041
	12X IDE DVD-ROM	D4388-60004	D4388-69004
	8X 4X 32X IDE CD-RW	—	D4398-69051
8	CD-ROM to audio connector cable	5182-1857	—
9	Scrolling mouse	C4737-60001	—
	Cordless Scrolling mouse <sup>3</sup>	C4740-63001	—
	Internet keyboard <sup>3</sup>	C4759-601xx <sup>2</sup>	—
10 <sup>3</sup>	Intel Pro 10/100+ PCI LAN	5064-7434	—
	3Com 3C905C-TX PCI LAN Card	5065-4278	—
	10/100BT PCI LAN Card	5065-2523	—
11	HP 56K PCI Modem US	D7519-63001	—
	HP 56K PCI Modem Europe	5184-3849	—
	HP 56K V90 USB Modem US	5064-9789	—
	HP 56K V90 USB Modem Europe	5064-9790	—
	HP 56K V90 USB Modem Australia	5065-1204	—
	HP 56K USB e-Modem US	5065-2590	—
	HP 56K USB e-Modem Europe	5065-2591	—
12 <sup>3</sup>	Video card Nvidia NV15	5065-2543	P1546-69001

parts list for hp brio ba410 pcs

Item	Description	Repl. Part Number	Exchange Part Number
13	Telephone Cable for modem	See Appendix for full list	—
14	9.6W Speakers	P1534-60001	—
15	System board	See PC's system board parts list	

1. For optional disk drive information, see the *Accessory Service Handbook — 5969-5234*
2. Where “xx” is the code for your national keyboard (see the *Accessory Service Handbook*).
3. Not shown



# hp brio ba410

## system board parts list for hp brio ba410 pcs

	Description	Repl. Part Number	Exchange Part Number
1	<b>System board:</b> Brio BA410 System board	—	D9840-69007
2	<b>Socket 370 Processors:</b> Intel Pentium III 733/133 256KB L2 cache Intel Pentium III 800/133 256KB L2 cache Intel Pentium III 867/133 256KB L2 cache Intel Pentium III 933/133 256KB L2 cache Intel Pentium III 1000/133 256KB L2 cache Intel Celeron 566/66 128KB L2 cache Intel Celeron 600/66 128KB L2 cache Intel Celeron 633/66 128KB L2 cache Intel Celeron 667/66 128KB L2 cache Intel Celeron 700/66 128KB L2 cache Intel Celeron 733/66 128KB L2 cache Intel Celeron 766/66 128KB L2 cache Intel Celeron 800/100 128KB L2 cache Intel Celeron 850/100 128KB L2 cache Intel Celeron 900/100 128KB L2 cache	— — — — — D9903-63001 D9904-63001 P1836-63001 P1837-63001 P1838-63001 P1839-63001 P1840-63001 P1841-63001 P1842-63001 P1843-63001	D9906-69001 D9872-69001 D9873-69001 D9486-69001 P1579-69001 — — — — — — — — — — —
3	<b>Heatsinks:</b> Value Heatsink Mainstream Heatsink Intel Pentium III (1GHz) Heatsink	5065-2583 5065-7297 5065-4275	— — —
4	<b>Main memory modules:</b> 1 × 64MB, 133 MHz non-ECC SDRAM 1 × 128MB, 133MHz non-ECC SDRAM 1 × 256MB, 133 MHz non-ECC SDRAM	P1536-63010 P1537-63010 P1538-63010	— — —
5	<b>Battery type CR2032:</b>	1420-0356	—



